CLARK COUNTY DRAINAGE BOARD

CLARK COUNTY GOVERNMENT BUILDING 300 CORPORTE DRIVE, SUITE 206 JEFFERSONVILLE, INDIANA 47130 812-285-6281 (office)

DRAINAGE ISSUE REPORT FORM

THE DRAINAGE BOARD MAY NOT HAVE AUTHORITY TO CORRECT DRAINAGE ISSUES ON PRIVATE PROPERTY; WITHIN A SUBDIVISION WHERE THE SUBDIVISION'S HOMEOWNERS' ASSOCIATION HAS RESPONSIBILITY; OR IF THE ISSUE IS UNDER THE AUTHORITY OF ANOTHER GOVERNMENTAL BODY. A DRAINAGE BOARD REPRESENTATIVE MAY VISIT THE SITE PRIOR TO THE MEETING TO DETERMINE IF THE DRAINAGE BOARD HAS AUTHORITY. IF THE ISSUE IS THE BLOCKAGE OF A NATURAL SURFACE WATERCOURSE, YOU MAY BE REQUESTED TO PROVIDE ADDITIONAL INFORMATION.

Please print all information as complete and detailed as possible. If you need additional space, attach additional pages as needed. This form must be submitted to the Drainage Board at least ten calendar days prior to the next scheduled meeting. Also, the person submitting this report should be present at the scheduled meeting to answer questions from the Board.

DATE:				
NAME:				
ADDRESS:				
TELEPHONE #:	_CELL#	_EMAIL		
IS THE ISSUE RELATED TO SOIL EROS	ION (THE BOARD MAY NOT	HAVE AUTHORITY)?	□ Yes □	⊐ No
IS THE ISSUE RELATED TO BLOCKAGE	E OF A WATERCOURSE/STRE	AM/DRAIN?	□ Yes	⊐ No
IF SO, WHAT DO YOU BELIEVE	E IS CAUSING THE BLOCKAGE	E?		
DOES THE ISSUE INVOLVE ADJOINING	G PROPERTY/IES?		□ Yes □	ı No
IF SO PROVIDE NAME/S OF THO	OSE PROPERTY OWNER/S:			
HAVE YOU CONTACTED THE A	ADJOINING PROPERTY OWN	ER/S?	□ Yes □	⊐ No
IF SO, HOW WAS CONTACT MA	ADE? □ Person to Person	□ Telephone □ Mail	□ Other	
PROVIDE CONTACT INFORMA	TION OF THOSE ADJOINING I	PROPERTY OWNER/S:		
DESCRIPTION & LOCATION OF THE D	RAINAGE ISSUE:			
DESCRIPTION & LOCATION OF OTHER	AFFECTED PROPERTIES:			
ACTIONS YOU HAVE TAKEN, IF ANY, T	ΓO ADDRESS THE ISSUE:			
THE BOARD'S AUTHORITY AND FU ADDRESS THE ISSUE:			OULD BE DO	NE TO

DRAINAGE BOARD/STAFF USE ONLY		
DATE SUBMITTED:PRE-MEETING ACTIONS/REFERRALS:		
DATE OF REFERRAL:DATE OF MEETING:		
WAS APPLICANT PRESENT AT THE MEETING? □ YES □ NO		
ACTIONS/RESOLUTIONS:		